

# Rivolta®

## Product Range



Special Lubricants  
Cleaners  
Corrosion protection  
Maintenance products

# Excellent Expertise. High Quality Products.

Our customers' requirements are increasing every day. New machine designs with higher speeds, increasing loads and greater forces are also confronting the lubricants industry with even greater challenges. One of our objectives is to continuously work on the development of new and existing products to meet the more complex requirements of the challenges facing us. We can only keep up with these developments and remain successful by being able to offer exactly what our customers need.

Customer orientation has always been and remains a central pillar of our company philosophy. We advise our customers on an individually and personal basis — simply because we regard a cooperative partnership with our customers as the basis for long-term success.

From our company headquarters in Duisburg, our team of committed and technically qualified field representatives cover 40 over cities and regions in Germany. This nationwide network ensures we are always able to provide personal and local support. In addition, other staff members at our company HQ who specialise in research, engineering and hazardous substance management are available for consultation on a daily basis.


Our product brochure is designed to make it easier to find your way around our high quality product portfolio. We have designed the illustration and presentation of our products so that you can select from the desired application area and view the most important characteristics at a glance.

## Content

|                     |    |
|---------------------|----|
| About us            | 2  |
| Lubricants          |    |
| Oils                | 6  |
| Greases             | 10 |
| Pastes              | 12 |
| Cleaners            | 14 |
| Corrosio protection | 18 |
| Packaging overview  | 20 |
| Packaging units     | 22 |



# 360° Service



# Beyond promises.

Research, development and production from a single source — that is what distinguishes Bremer & Leguil from other suppliers. We do not merely contact the sales department and management of large, small and medium-sized companies, but particularly support the users on the factory floor. Our 360-degree service includes various tools that customers can use entirely according to their needs:

- Application diagrams
- Hazardous material substitution
- Operating instructions
- Seminars and training sessions

Our speed of delivery, an important factor in modern production processes, has now impressed over 15,000 customers in industry and the energy supply, food and pharmaceutical sectors, as well as municipal enterprises.

We are able to deliver 97.5% of our products to our German customers within 72 hours and 96% of all orders are consigned to the forwarding company on the desired date.

If required, we can offer an individual product development or an own label as part of our customer-oriented services.

With current certification including DIN EN ISO 21469, Bremer & Leguil offer a well thought out portfolio of products and services, that makes us one of the best and most popular suppliers in the market.



**As one of our customers, you can rely on receiving local competent advice!**

We are happy to visit you to present our products and to discuss your queries. We will gladly work with you to develop individual concepts tailored exactly to your requirements.

Specially trained members of staff are available to answer your questions about technical applications and another specialists in the fields of research, engineering and hazardous substance management.





# 1. Demand-specific lubricants

Lubricants are needed in all areas of production processes and ensure the smooth running of processes in the manufacture of countless products. The areas of application range from roller and plain bearings to sensitive lubricants for the food industry. Lubricants not only reduce wear and friction, they also have an influence on force transfer, corrosion, heat transfer and vibration damping.

There are naturally very strict specifications for these products in the food industry. All of our NSF certified products reliably meet the legislative requirements and are non-hazardous with regard to health and the environment. You are certain to find exactly the right thing for your individual needs in our comprehensive range of products. We shall be happy to advise you without obligation – why not give us a call?

## 1.1 Oils

| Product                | Gear units | Hydraulics | Chains & ropes | Electro-maintenance | Compressors | Roller & plain bearings | Maintenance | Description                                                                                                                                                | Properties                             |
|------------------------|------------|------------|----------------|---------------------|-------------|-------------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| C.H.G. 3               | ●          | ●          |                | ●                   | ●           | ●                       |             | Fully synthetic top-performance oil: universal in use, very oxidative stable, applicable in maintenance units and oil-lubricated roller and plain bearings | PFAS FREE<br>32 ISO VG<br>-55 +140 °C  |
| C.H.G. 4               | ●          | ●          |                | ●                   | ●           |                         |             | Fully synthetic top-performance oil: universal in use, very oxidative stable, also for oil-lubricated roller and plain bearings                            | PFAS FREE<br>46 ISO VG<br>-55 +140 °C  |
| C.H.G. 6               | ●          | ●          |                | ●                   | ●           |                         |             | Fully synthetic top-performance oil: universal in use, very oxidative stable, also for oil-lubricated roller and plain bearings                            | PFAS FREE<br>68 ISO VG<br>-51 +140 °C  |
| C.H.G. 10              | ●          | ●          |                | ●                   | ●           |                         |             | Fully synthetic top-performance oil: universal in use, very oxidative stable, also for oil-lubricated roller and plain bearings                            | PFAS FREE<br>100 ISO VG<br>-51 +140 °C |
| C.H.G. 15              | ●          |            |                | ●                   | ●           |                         |             | Fully synthetic top-performance oil: universal in use, very oxidative stable, also for oil-lubricated roller and plain bearings                            | PFAS FREE<br>150 ISO VG<br>-45 +140 °C |
| C.H.G. 22              | ●          |            |                |                     | ●           |                         |             | Fully synthetic top-performance oil: universal in use, very oxidative stable, also for oil-lubricated roller and plain bearings                            | PFAS FREE<br>220 ISO VG<br>-40 +140 °C |
| F.L. 5<br>F.L. 5 Spray |            |            |                |                     |             | ●                       |             | Synthetic creep and fine oil: free of acids and resins, capillary and surface-active, good cleaning effect                                                 | NSF HT<br>PFAS FREE                    |

| Product                      | Gear units | Hydraulics | Chains & ropes | Electro-maintenance | Compressors | Roller & plain bearings | Maintenance | Description                                                                                                                                             | Properties                                          |
|------------------------------|------------|------------|----------------|---------------------|-------------|-------------------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
| F.L. 12                      |            | ●          |                |                     |             |                         |             | Synthetic food grade lubricating oil: good sealing compatibility, little evaporation propensity, high ageing and oxidation stability                    | NSF HT<br>PFAS FREE<br>5 ISO VG<br>-65 +100 °C      |
| F.L. 20                      |            | ●          |                |                     |             |                         |             | Synthetic food grade lubricating oil: good sealing compatibility, little evaporation propensity, high ageing and oxidation stability                    | NSF HT<br>PFAS FREE<br>15 ISO VG<br>-62 +100 °C     |
| F.L. 50<br>F.L. 50 Spray     |            | ●          | ●              |                     | ●           |                         |             | Synthetic food grade lubricating oil: good sealing compatibility, little evaporation propensity, high ageing and oxidation stability                    | NSF HT<br>PFAS FREE<br>32 ISO VG<br>-60 +140 °C     |
| F.L. 75                      |            | ●          |                |                     | ●           |                         |             | Synthetic food grade lubricating oil: good sealing compatibility, little evaporation propensity, high ageing and oxidation stability                    | NSF HT<br>PFAS FREE<br>46 ISO VG<br>-59 +140 °C     |
| F.L. 88 N<br>F.L. 88 N Spray |            |            | ●              |                     |             |                         |             | Synthetic food grade chain lubricant: good creep and adhesive properties, oxidation stable                                                              | NSF HT<br>PFAS FREE<br>85/440 ISO VG<br>-35 +140 °C |
| F.L. 100                     |            | ●          |                |                     | ●           |                         |             | Synthetic food grade lubricating oil: good sealing compatibility, little evaporation propensity, high ageing and oxidation stability                    | NSF HT<br>PFAS FREE<br>68 ISO VG<br>-52 +140 °C     |
| F.L. 125                     |            | ●          | ●              |                     | ●           |                         |             | Synthetic food grade lubricating oil: good sealing compatibility, little evaporation propensity, high ageing and oxidation stability                    | NSF HT<br>PFAS FREE<br>100 ISO VG<br>-45 +140 °C    |
| F.L. 170                     |            | ●          | ●              |                     | ●           |                         |             | Synthetic food grade lubricating oil: good sealing compatibility, little evaporation propensity, high ageing and oxidation stability                    | NSF HT<br>PFAS FREE<br>150 ISO VG<br>-45 +140 °C    |
| F.L. 250<br>F.L. 250 Spray   |            | ●          | ●              |                     |             |                         |             | Synthetic food grade lubricating oil: good sealing compatibility, little evaporation propensity, high ageing and oxidation stability (Spray ISO VG 320) | NSF HT<br>PFAS FREE<br>220 ISO VG<br>-40 +140 °C    |
| F.L. 400                     |            | ●          |                |                     |             |                         |             | Synthetic food grade lubricating oil: good sealing compatibility, little evaporation propensity, high ageing and oxidation stability                    | NSF HT<br>PFAS FREE<br>320 ISO VG<br>-35 +140 °C    |
| F.L. 500                     |            | ●          |                |                     |             |                         |             | Synthetic food grade lubricating oil: good sealing compatibility, little evaporation propensity, high ageing and oxidation stability                    | NSF HT<br>PFAS FREE<br>460 ISO VG<br>-33 +140 °C    |
| F.L. 1000<br>F.L. 1000 Spray |            |            | ●              |                     |             |                         |             | Synthetic food grade lubricating oil: good creep and adhesive properties, oxidation stable                                                              | NSF HT<br>PFAS FREE<br>1500 ISO VG<br>-12 +140 °C   |
| F.L. 2000<br>F.L. 2000 Spray |            |            | ●              |                     |             |                         |             | Synthetic food grade lubricating oil: good creep and adhesive properties, oxidation stable                                                              | NSF HT<br>PFAS FREE<br>10 +140 °C                   |

1.1 Oils

| Product                          | Gear units | Hydraulics | Chains & ropes | Electro-maintenance | Compressors | Roller & plain bearings | Maintenance | Description                                                                                                                                                                      | Properties                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------|------------|------------|----------------|---------------------|-------------|-------------------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| F.L. HT<br>F.L. HT Spray         |            |            | ●              |                     |             |                         |             | High-temperature chain lubricant: thermal stability up to +240 °C, good adhesive properties, little evaporation propensity                                                       |                                                                                               |
| F.L. KM 100                      |            |            |                | ●                   |             |                         |             | Synthetic refrigeration oil: excellent low temperature flowbility, high thermal and chemical stability                                                                           |                                                                                               |
| F.L. PG 250                      | ●          |            |                |                     |             |                         |             | Special food grade gear oil: high wear protection, good load carrying capacity                                                                                                   |            |
| F.L. PG 500                      | ●          |            |                |                     |             |                         |             | Special food grade gear oil: high wear protection, good load carrying capacity                                                                                                   |            |
| F.L. SI                          |            |            | ●              |                     |             | ●                       |             | Silicone oil: wide operative temperature range, excellent maintenance and protection properties                                                                                  |                                                                                               |
| F.L. TM Spray                    |            |            |                |                     |             | ●                       |             | Silicone-free allround release agent: easy removability, very thin separating film                                                                                               |                                                                                                                                                                                  |
| N.B.A. 75                        |            | ●          |                |                     |             |                         |             | Readily biodegradable hydraulic oil: developed for the food processing and packaging industry for the application in environmentally related and environmentally sensitive areas |     |
| S.B.H. 11                        |            | ●          |                |                     |             |                         |             | Synthetic biodegradable hydraulic oil: has the EU Ecolabel, excellent Viscosity-Temperature behaviour                                                                            |                                                                                         |
| S.B.H. 23                        |            | ●          |                |                     |             |                         |             | Synthetic biodegradable hydraulic oil: has the EU Ecolabel, excellent Viscosity-Temperature behaviour                                                                            |                                                                                         |
| S.I.L. Spray                     |            |            |                |                     |             | ●                       |             | Silicone oil: wide operative temperature range, excellent maintenance and protection properties                                                                                  |                                                                                         |
| S.K.D. 16 N<br>S.K.D. 16 N Spray |            |            | ●<br>i.        | ●                   |             | ●                       |             | Synthetic inside bearing lubricant: good penetrating ability, cleaning effect, releases rust and pollution, reduces wear                                                         |                                                                                                                                                                              |
| S.K.D. 55                        |            |            | ●<br>i.        |                     |             |                         |             | Synthetic adhesive chain lubricant: for highly loaded chains, for the processing by central lubricating systems, e.g. for escalators, railway vehicles                           |                                                                                                                                                                              |
| S.K.D. 170<br>S.K.D. 170 Spray   |            |            | ●<br>i.        |                     |             |                         |             | Synthetic adhesive chain lubricant: universal, adhesive chain lubricant and external lubricant for ropes                                                                         |                                                                                                                                                                              |
| S.K.D. 240<br>S.K.D. 240 Spray   |            |            | ●<br>i.        |                     |             |                         |             | Synthetic high-temperature chain oil: for the application in hot areas for long-term temperatures                                                                                |                                                                                         |
| S.K.D. 320 N                     |            |            | ●<br>i.        |                     |             |                         |             | Synthetic high-temperature chain oil: hot areas with long-term temperatures up to +250 °C, little evaporation propensity                                                         |                                                                                         |
| S.K.D. 2000<br>S.K.D. 2000 Spray |            |            | ●<br>a.        |                     |             |                         |             | Synthetic adhesive chain lubricant: for the lubrication and conservation of highly loaded chains and ropes                                                                       |                                                                                                                                                                              |

i. = for the inside lubrication of chains and ropes / o. = for the outside lubrication of chains and ropes

| Product                          | Gear units | Hydraulics | Chains & ropes | Electro-maintenance | Compressors | Roller & plain bearings | Maintenance | Description                                                                                                                                                                        | Properties                                                                                                                                                                                                                                                        |
|----------------------------------|------------|------------|----------------|---------------------|-------------|-------------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| S.K.D. 3000<br>S.K.D. 3000 Spray |            |            | ●<br>a.        |                     |             |                         |             | Synthetic adhesive chain lubricant: extremely adhesive lubricant for the outer section and for extreme requirements, also for O- and X-ring chains                                 |                                                                                             |
| S.K.M. 17<br>S.K.M. 17 Spray     |            | ●          | ●              |                     | ●           | ●                       |             | Synth. biodegradable high-performance oil: good creep properties, e.g. for chain lubrication perfectly suitable                                                                    |          |
| S.K.M. 41                        | ●          | ●          | ●              |                     | ●           |                         |             | Synth. biodegradable high-performance oil: high ageing and oxidation stability, ideal for the lubrication of escalators                                                            |          |
| S.K.M. 46                        | ●          | ●          | ●              |                     | ●           |                         |             | Synth. biodegradable high-performance oil: high ageing and oxidation stability, ideal for the lubrication of escalators                                                            |          |
| S.K.M. 56                        | ●          | ●          | ●              |                     | ●           |                         |             | Synth. biodegradable high-performance oil: high ageing and oxidation stability, ideal for the lubrication of escalators                                                            |          |
| S.K.M. 121                       | ●          |            |                |                     | ●           |                         |             | Synth. biodegradable high-performance oil: high ageing and oxidation stability                                                                                                     |          |
| S.K.M. 171                       | ●          |            |                |                     |             |                         |             | Synth. biodegradable high-performance oil: high ageing and oxidation stability                                                                                                     |     |
| S.K.M.3010 Spray                 |            |            | ●              |                     |             |                         |             | Synth. biodegradable adhesive lubricant: adhesive lubricant in ecologically sensitive areas                                                                                        |                                                                                         |
| S.P.G. 250                       | ●          |            |                |                     | ●           |                         |             | Synthetic high-performance gear oil: high wear protection, very oxidation-stable, particularly suitable for worm gears                                                             |    |
| S.P.G. 500                       | ●          |            |                |                     | ●           |                         |             | Synthetic high-performance gear oil: high wear protection, very oxidation-stable, particularly suitable for worm gears                                                             |    |
| S.K.S. 40<br>S.K.S. 40 Spray     |            |            |                |                     |             | ●                       |             | Universal cutting oil: chlorine free, fully synthetic and little evaporation propensity, for drilling and sawing operations                                                        |                                                                                                                                                                              |
| S.K.S. 48<br>S.K.S. 48 Spray     |            |            |                |                     |             | ●                       |             | Special cutting oil: chlorine free and fully synthetic, for most difficult machine operations with high alloy steels                                                               |                                                                                                                                                                              |
| T.F.L. 10<br>T.F.L. 10 Spray     |            |            |                |                     |             | ●                       |             | Multi-functional oil with PTFE: Fine oil with a partly solid lubricant for the lubrication and maintenance of metal and plastic surfaces                                           |                                                                                                                                                                                                                                                                   |
| T.K.S. Spray                     |            |            |                |                     |             | ●                       |             | Silicone-free high performance release agent: for easy demoulding of plastic injection moulded parts and minimisation of flow lines                                                |                                                                                         |
| T.M.F.                           |            |            |                |                     |             | ●                       |             | Biodegradable multi-functional oil: not classified as dangerous, universal in use as low viscosity lubricant, care agent for stainless steel, medium term protection and many more |                                                                                         |
| T.R.S. Plus<br>T.R.S. Plus Spray |            |            | ●              |                     |             | ●                       |             | Synthetic creep and fine oil: odourless, universal in use, to release and get going seized mechanical parts, care agent for stainless steel, to unblock rust and many more         |                                                                                         |



1.2 Greases

| Product     |            |            |                |                     |             |                         | Description                                                                                                                                                 | Properties |           |           |                                                       |
|-------------|------------|------------|----------------|---------------------|-------------|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|-----------|-------------------------------------------------------|
|             | Gear units | Hydraulics | Chains & ropes | Electro-maintenance | Compressors | Roller & plain bearings |                                                                                                                                                             |            |           |           |                                                       |
| F.L.G. 2-0  | ●          |            |                |                     |             | ●                       | Synthetic lubricating semifluid grease: for central lubrication systems, especially in packaging machines                                                   | NSF H1     | PFAS FREE |           | <div><div>-50</div><div>+120</div><div>°C</div></div> |
| F.L.G. 3-1  | ●          |            |                |                     |             | ●                       | Synthetic gear lubricating grease: for open and closed gears                                                                                                | NSF H1     | PFAS FREE | 0-00 NLGI | <div><div>-40</div><div>+140</div><div>°C</div></div> |
| F.L.G. 4-2  |            |            |                |                     |             | ●                       | Synthetic bearing lubricating grease: universally applicable roller and plain bearing grease, especially in the food and drink industry                     | NSF H1     | PFAS FREE | 2 NLGI    | <div><div>-40</div><div>+140</div><div>°C</div></div> |
| F.L.G. GT-0 | ●          |            |                |                     |             | ●                       | Synthetic fluid grease: for roller bearings with wide temperature range                                                                                     | NSF H1     | PFAS FREE | 00 NLGI   |                                                       |
| F.L.G. GT-2 |            |            | ●              |                     |             | ●                       | Synthetic multi-temperature grease: for roller bearings with wide temperature range, ideal for central lubrication systems, electrical contact grease       | NSF H1     | PFAS FREE | 2 NLGI    | <div><div>-45</div><div>+170</div><div>°C</div></div> |
| F.L.G. GT-3 |            |            |                |                     |             | ●                       | Synthetic multi-temperature grease: for plastic injection moulding machines, to lubricate runner and tool adjustments, good corrosion protection properties | NSF H1     | PFAS FREE | 2 NLGI    | <div><div>-40</div><div>+170</div><div>°C</div></div> |



NEW

## NSF-H1: A powerhouse for hygienic lubrication!

### S.K.D. 3875

Biodegradable high-performance grease

Rivolta S.K.D. 3875 is a synthetic, high-performance grease suitable for a wide range of applications in environmentally sensitive areas, particularly where food and feed hygiene requirements apply.

|                 |  |  |   |   |  |   |                                                                                                                                                   |        |           |          |                                                       |
|-----------------|--|--|---|---|--|---|---------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------|----------|-------------------------------------------------------|
| F.L.G. GT-4     |  |  |   |   |  | ● | Synthetic multi-temperature grease: for roller bearings with wide temperature range and high load carrying capacity                               | NSF H1 | PFAS FREE | 2 NLGI   | <div><div>-35</div><div>+180</div><div>°C</div></div> |
| F.L.G. GT Spray |  |  | ● | ● |  | ● | Synthetic multi-temperature grease: very good water resistance, excellent corrosion protection (also electrical contacts), sliding points         | NSF H1 | PFAS FREE | 2 NLGI   | <div><div>-45</div><div>+170</div><div>°C</div></div> |
| F.L.G. HF-2     |  |  |   |   |  | ● | Synthetic adhesive lubricating grease: general lubrication of roller bearings and as grease for suspension track conveyors, good water resistance | NSF H1 | PFAS FREE | 1-2 NLGI | <div><div>-40</div><div>+140</div><div>°C</div></div> |
| F.L.G. MD-2     |  |  | ● |   |  | ● | Silicone grease: specially for EPDM seals in the drinks industry, mounting agent for plastic and ceramic parts                                    | NSF H1 |           | 2-3 NLGI | <div><div>-40</div><div>+200</div><div>°C</div></div> |

| Product                          |            |            |                |                     |             |                         | Description                                                                                                                                                                                      | Properties          |          |                                                       |  |
|----------------------------------|------------|------------|----------------|---------------------|-------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------|-------------------------------------------------------|--|
|                                  | Gear units | Hydraulics | Chains & ropes | Electro-maintenance | Compressors | Roller & plain bearings |                                                                                                                                                                                                  |                     |          |                                                       |  |
| S.K.D. 3400<br>S.K.D. 3400 Spray |            | ●          |                |                     |             | ●                       | Highest pressure adhesive lubricant: high-pressure semi-synthetic grease for highest pressure conditions, e.g. gears, gear wheels, roller and plain bearings                                     | PFAS FREE           | 3 NLGI   | <div><div>-30</div><div>+120</div><div>°C</div></div> |  |
| S.K.D. 3501                      |            |            |                |                     |             | ●                       | High-speed grease: for the lubrication of roller bearings at very high revolutions and at low temperatures                                                                                       | PFAS FREE           | 1-2 NLGI | <div><div>-40</div><div>+120</div><div>°C</div></div> |  |
| S.K.D. 3602<br>S.K.D. 3602 Spray |            | ●          | ●              |                     | ●           | ●                       | High-pressure, high-performance grease: semi-synthetic, für high loaded plain and roller bearings, guidances, spindles, electrical contact grease                                                | PFAS FREE           | 2 NLGI   | <div><div>-30</div><div>+140</div><div>°C</div></div> |  |
| S.K.D. 3800                      |            |            |                |                     |             | ●                       | Biodegradable lubricant for switches: switches and gliding planes at rail track systems, high water resistance, reduces friction and wear, good UV-resistance                                    | PFAS FREE           | 000 NLGI | <div><div>-35</div><div>+100</div><div>°C</div></div> |  |
| S.K.D. 3802                      |            | ●          |                |                     | ●           | ●                       | Biodegradable multi-purpose lubricant: universal in use, also for guidances, spindles, electric motors and many more                                                                             | PFAS FREE           | 2 NLGI   | <div><div>-40</div><div>+130</div><div>°C</div></div> |  |
| S.K.D. 3817                      |            |            |                |                     | ●           | ●                       | Biodegradable turbine bearing lubricant: universal in use, also for guidances and spindles, very efficient in central lubriation systems                                                         | PFAS FREE           | 1 NLGI   | <div><div>-55</div><div>+100</div><div>°C</div></div> |  |
| S.K.D. 3833 N                    |            | ●          |                |                     | ●           | ●                       | Biodegradable high-pressure grease: for highly loaded roller and plain bearings in ecological systems                                                                                            | PFAS FREE           | 2 NLGI   | <div><div>-30</div><div>+130</div><div>°C</div></div> |  |
| S.K.D. 3875                      |            | ●          |                |                     | ●           | ●                       | Biodegradable high-performance grease: synthetic all-purpose grease for environmentally sensitive applications, particularly in the food, feed, and pharmaceutical industries                    | NSF H1<br>PFAS FREE | 2 NLGI   | <div><div>-30</div><div>+100</div><div>°C</div></div> |  |
| S.K.D. 3915                      |            | ●          |                |                     | ●           | ●                       | High-temperature, heavy-load grease: grease with good corrosion protection properties                                                                                                            | PFAS FREE           | 1-2 NLGI | <div><div>-20</div><div>+180</div><div>°C</div></div> |  |
| S.K.D. 4002                      |            |            | ●              |                     | ●           | ●                       | High-temperature, high-performance grease: universal in use, wide temperature range, also for guidances, spindles, electric motor bearings, electrical contact grease                            | PFAS FREE           | 2 NLGI   | <div><div>-50</div><div>+210</div><div>°C</div></div> |  |
| S.K.D. 5001                      |            |            | ●              |                     | ●           | ●                       | Highest temperature grease: fluorine oil basis, highest thermal and excellent media resistance, lubrication of roller and plain bearings, guidings and plastics, electrical contact grease       | NSF H1              | 1 NLGI   | <div><div>-25</div><div>+260</div><div>°C</div></div> |  |
| S.K.D. 5002                      |            |            | ●              |                     | ●           | ●                       | Highest temperature grease: fluorine oil basis, highest thermal and excellent media resistance, lubrication of roller and plain bearings, guidings and plastics, electrical contact grease       | NSF H1              | 2 NLGI   | <div><div>-20</div><div>+260</div><div>°C</div></div> |  |
| S.K.D. 6002                      |            |            |                |                     | ●           | ●                       | Extreme-temperature grease: fluorine oil basis, extreme thermal and media resistance, also for guidances, spindles in plastic injection moulding machines, very good compatibility with plastics | NSF H1              | 2 NLGI   | <div><div>-30</div><div>+300</div><div>°C</div></div> |  |

1.3 Pastes

| Product                |            |            |                |                     |             |                         |             | Description                                                                                                                                                                              | Properties |           |  |               |
|------------------------|------------|------------|----------------|---------------------|-------------|-------------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|--|---------------|
|                        | Gear units | Hydraulics | Chains & ropes | Electro-maintenance | Compressors | Roller & plain bearings | Maintenance |                                                                                                                                                                                          |            |           |  |               |
| F.L.A.                 |            |            |                |                     |             |                         |             | High-performance assembly paste: especially for the food and drink industry, resistance against acids, lyes and water, very good adhesive power                                          | NSF H1     | PFAS FREE |  | -40 +1200 °C  |
| F.L.B.                 |            |            |                |                     |             |                         |             | Stainless steel high-temperature assembly paste: especially for thermally stressed stainless steel screw connections, resistant to acids, alkalis and water, calcium-free, good adhesion | NSF H1     | PFAS FREE |  | -40 +1200 °C  |
| G.W.F.<br>G.W.F. Spray |            |            |                |                     |             |                         |             | Anti-seize-agent and lubricant: assembly paste for thermally high loaded connections (VA-steel), stainless steel fittings, etc., prohibits fretting corrosion                            |            | PFAS FREE |  | -180 +1200 °C |



Our Top-Seller!  
G.W.F.

Anti-seize-agent and lubricant

Assembly paste for temperatures up to +1.200 °C. Protects against corrosion and fretting corrosion. G.W.F. is resitant against water and salt. Therefore suitable for applications in wet areas.

|                        |  |  |  |  |  |  |  |                                                                                                                                                                                                                                                             |        |           |        |              |
|------------------------|--|--|--|--|--|--|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------|--------|--------------|
| P.A.W.                 |  |  |  |  |  |  |  | Fully synthetic lubricating and assembly paste: High-performance grease paste with synergistically acting highly effective white solid lubricants for the assembly of screwed connections made of steel and stainless steel                                 | NSF H1 | PFAS FREE | 2 NLGI | -40 +1200 °C |
| W.A.P.<br>W.A.P. Spray |  |  |  |  |  |  |  | High-performance grease paste: extremely water-resistant high-performance grease paste with metal oxitic ceramic solids. For screw fittings, highly loaded bearings and screw drives, chucks, etc. good protection against corrosion and fretting corrosion |        | PFAS FREE | 2 NLGI | -20 +1200 °C |

Rivolta®: ensures optimum lubrication and hygiene



NSF certified  
DIN EN ISO 21469



Halal  
certification




Kosher  
certification

Special regulations apply to the cleaning and lubrication of production systems in the food industry. As it is not possible to completely rule out contact with the machines during the manufacture of the goods, it is mandatory to use special products with NSF certification.

Note: NSF International is an American not-for-profit organisation that provides standardisation and certification in the drinking water, food and healthcare sectors. Products are classified according to their type of use. More information about these classifications can be found at [www.nsf.org](http://www.nsf.org).

DIN EN ISO 21469 certification also allows Bremer & Leguil to meet the hygiene requirements for lubricants with no foreseeable product contact.





## 2. Cleaner for all kinds of applications

Soiled machine parts, systems and surfaces are not only visually annoying, they can also bring the entire work process to a halt. Special cleaners are required to properly clean various materials in a wide variety of circumstances. For these jobs we can provide solvent-based or water-based cleaning agents.

Our range is as varied as the requirements it has to meet. You will find a comprehensive portfolio of cleaning agents with everything from a spray can to a securitycleaner. If requested, we can arrange individual training for you and your staff in the use of our products. Please contact us and we will be happy to assist you.

## 2. Cleaners

| Product        | <div>Electric cleaning</div> <div>Spray-washing machines</div> <div>High-pressure devices</div> <div>Ultrasonic bath, Dipping bath</div> <div>Floor cleaning</div> <div>Washbasin</div> <div>Manual cleaning</div> |   |   |   |   |   |   | Description                                                                                                                                                    | Properties |           |     |        |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|---|---|---|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|-----|--------|
|                |                                                                                                                                                                                                                    |   |   |   |   |   |   |                                                                                                                                                                |            |           |     |        |
| A.C.S. Spray   |                                                                                                                                                                                                                    |   |   |   |   |   |   | ● Acetone-spray: rapid and thorough cleaning of shiny steel- and metal components, removal of sealings                                                         | NSF A1     | PFAS FREE | KW  |        |
| A.C.S. 3 Spray |                                                                                                                                                                                                                    |   |   |   |   |   |   | ● Rapid evaporating cleaner: extremely effective rapid dissolving effect towards oily, greasy and resinous dirt from metallic surfaces                         |            | PFAS FREE | KW  |        |
| B.F.C. Spray   |                                                                                                                                                                                                                    |   |   |   |   |   |   | ● A1-Foam cleaner : odourless active foam for the cleaning and degreasing of water-resistant surfaces                                                          | NSF A1     | PFAS FREE | H2O | nonVOC |
| B.N.L. 848     | ●                                                                                                                                                                                                                  | ● | ● | ● | ● | ● | ● | ● Low-foaming neutral cleaner: very good cleaning performance, for the cleaning of sensitive materials such as aluminium, zinc, corrosion protection, VOC-free |            | PFAS FREE | H2O | nonVOC |
| B.R.X. 540     |                                                                                                                                                                                                                    |   |   | ● |   |   |   | ● In-depth cleaner for floors: highly concentrated substance combination, phosphate-free, highly alkaline, removes even the most stubborn dirt                 |            | PFAS FREE | H2O | nonVOC |
| B.R.X. 611     | ●                                                                                                                                                                                                                  | ● | ● | ● | ● | ● | ● | ● Low-foaming degreasing concentrate: user-friendly, highly active, versatile, VOC-free                                                                        | NSF A1     | PFAS FREE | H2O | nonVOC |
| B.R.X. 624     | ●                                                                                                                                                                                                                  | ● | ● | ● |   |   |   | ● Foam-free, high-performance cleaner: highly alkaline, energy efficient – delivers its full power already at room temperature, VOC-free                       |            | PFAS FREE | H2O | nonVOC |
| B.R.X. 637     | ●                                                                                                                                                                                                                  | ● | ● | ● |   |   |   | ● Low-foaming, high-performance cleaner: very energy efficient – delivers its full power already at low temperatures, corrosion preventive, VOC-free           | NSF A1     | PFAS FREE | H2O | nonVOC |

| Product          | <div>Electric cleaning</div> <div>Spray-washing machines</div> <div>High-pressure devices</div> <div>Ultrasonic bath, Dipping bath</div> <div>Floor cleaning</div> <div>Washbasin</div> <div>Manual cleaning</div> |  |  |   |   |   |   | Description                                                                                                                                                | Properties |           |     |        |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|---|---|---|---|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|-----|--------|
|                  |                                                                                                                                                                                                                    |  |  |   |   |   |   |                                                                                                                                                            |            |           |     |        |
| B.R.X. 648       |                                                                                                                                                                                                                    |  |  | ● |   |   | ● | ● High-performance cleaner: phosphate free, highly alkaline, especially to remove paints, lacquers, caked on lubricants, cracked oils and resins, VOC-free |            | PFAS FREE | H2O | nonVOC |
| B.R.X. 659       | ●                                                                                                                                                                                                                  |  |  |   |   |   |   | ● Industrial power cleaner: removes stubborn dirt from sensitive surfaces such as aluminium and non-ferrous metal, corrosion preventive, VOC-free          |            | PFAS FREE | H2O | nonVOC |
| B.S.E.           |                                                                                                                                                                                                                    |  |  | ● |   |   | ● | ● Safety rust remover: for the removal of rust, lime and scale deposits, free of mineral acids, VOC-free                                                   | NSF A3     | PFAS FREE | H2O | nonVOC |
| B.W.K.           |                                                                                                                                                                                                                    |  |  | ● | ● | ● | ● | ● Water-based power cleaner: ready to use, alternative to solvents, removes stubborn dirt, versatile, good material compatibility                          | NSF A1     | PFAS FREE | H2O | nonVOC |
| B.W.K. Wipes Set |                                                                                                                                                                                                                    |  |  |   |   |   | ● | ● Wipes: user-friendly, for the removal of persistent dirt, e.g. like greases, pastes, oils, wax residues from water-resistant surfaces                    | NSF A1     | PFAS FREE | H2O | nonVOC |



### The powerhouse with NSF-A1 registration!

**B.W.X.**  
Xtrem cleaner

With its Xtreme Power and fast evaporation, Rivolta B.W.X. gets to grips with the most stubborn dirt, which could previously only be cleaned with solvent-based products. It gently and effectively cleans countless surfaces such as steel, stainless steel, non-ferrous metals, chrome, glass or ceramics.

|                       |   |   |   |   |   |   |   |                                                                                                                                                    |        |           |     |        |
|-----------------------|---|---|---|---|---|---|---|----------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------|-----|--------|
| B.W.R. 180            | ● | ● | ● | ● | ● | ● | ● | ● Cleaning concentrate: user friendly, good material compatibility, energy efficient – delivers its full power already at low temperatures         | NSF A1 | PFAS FREE | H2O | nonVOC |
| B.W.R. 210            |   |   | ● |   |   |   | ● | ● Cleaning concentrate: high cleaning power, highly concentrated, to clean / degrease water-resistant surfaces                                     | NSF A1 | PFAS FREE | H2O | nonVOC |
| B.W.R. 210 phos.-free | ● | ● | ● | ● | ● | ● | ● | ● Low-foaming cleaning concentrate: extreme degreasing power, phosphatefree and separator-friendly, corrosion preventive, VOC-free                 |        | PFAS FREE | H2O | nonVOC |
| B.W.S.                |   |   |   |   |   |   | ● | ● Finish-cleaner: ready-to-use, fast drying, good material compatibility, free from dyes, fragrances and preservatives                             | NSF A1 | PFAS FREE | H2O | nonVOC |
| B.W.S. Wipes Set      |   |   |   |   |   |   | ● | ● Wipes: user-friendly, for the removal of oily and greasy dirt, fingerprints, soot and dust, nicotine and much more from water-resistant surfaces | NSF A1 | PFAS FREE | H2O | nonVOC |
| B.W.X.                |   |   |   |   |   |   | ● | ● Xtreme cleaner: user-friendly alternative to loose detergent-based cleaners, removes the most stubborn soiling                                   | NSF A1 | PFAS FREE | H2O | nonVOC |

2. Cleaners

| Product                                  | Application       |                        |                       |                 |              |                |           | Description                                                                                                                                                       | Properties |           |                  |        |
|------------------------------------------|-------------------|------------------------|-----------------------|-----------------|--------------|----------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|------------------|--------|
|                                          | Electric cleaning | Spray-washing machines | High-pressure devices | Ultrasonic bath | Dipping bath | Floor cleaning | Washbasin |                                                                                                                                                                   | NSF        | PFAS FREE | H <sub>2</sub> O | nonVOC |
| E.S.E. 340                               |                   | ●                      |                       |                 |              |                |           | De-foamer for waterbased systems:<br>effective destruction of foam, silicone free, very efficient                                                                 |            | PFAS FREE | H <sub>2</sub> O | nonVOC |
| E.V.R.                                   | ●                 |                        | ●                     |                 |              |                | ●         | Electro pre-cleaner:<br>ready to use, water based product for the pre-cleaning of electrical components. (not under voltage)                                      | NSF K2     | PFAS FREE | H <sub>2</sub> O |        |
| M.T.X.                                   |                   |                        |                       | ●               |              | ●              | ●         | Special cleaner:<br>evaporates slowly, without any residues, solvent with high cleaning power                                                                     |            | PFAS FREE | KW               |        |
| M.T.X. 60                                |                   |                        |                       | ●               |              | ●              | ●         | Special cleaner:<br>very good degreasing power, nearly odourless, quick evaporation without residues – cleaned product can be used again quickly                  | NSF K1     | PFAS FREE | KW               |        |
| M.T.X. 60 forte<br>M.T.X. 60 forte Spray |                   |                        |                       | ●               |              | ●              | ●         | Intensive cleaner:<br>fast evaporating cleaner for stubborn contaminants like cracked oils and greases. Spray is also available as CO <sub>2</sub> filled version |            | PFAS FREE | KW               |        |
| M.T.X. 100                               |                   |                        |                       | ●               |              | ●              | ●         | Special cleaner:<br>very good degreasing effect, quick and residues free evaporation – cleaned items can be processed shortly after the cleaning                  | NSF K1     | PFAS FREE | KW               |        |
| M.T.X. 160                               |                   |                        |                       | ●               |              | ●              | ●         | Special cleaner:<br>slow and residues free evaporating solvent with temporary corrosion protection component                                                      |            | PFAS FREE | KW               |        |
| M.T.X. nonVOC forte                      |                   |                        |                       | ●               |              | ●              | ●         | nonVOC intensive cleaner:<br>very slow evaporating intensive cleaner for stubborn contaminations, is not subject to the 31. BImSchV. (Voc-decree)                 |            | PFAS FREE | KW               | nonVOC |
| M.T.X. Ultra                             |                   |                        |                       | ●               |              | ●              | ●         | Power cleaner:<br>slow evaporating power cleaner for for specific tenacious contaminations like wax, paint residues, bitumen, tar, cracked grease/oil             |            | PFAS FREE | KW               |        |
| N.I.T.                                   |                   |                        |                       | ●               |              |                | ●         | Hotmelt remover:<br>for the removal of persistent dispersion adhesive and hotmelt residues of machine and plant surfaces as well as application devices           | NSF A1     | PFAS FREE | KW               |        |
| N.W.E. 100                               |                   |                        |                       | ●               |              |                | ●         | Corrosion wax remover:<br>effective and economical cleaner with a high flash point for stubborn soiling, e.g. anti-corrosion waxes, greases, etc.                 |            | PFAS FREE | KW               | nonVOC |



Our contribution to the substitution of hazardous substances!

N.W.E. 100

Corrosion wax remover

Rivolta N.W.E. 100 is the effective and user-friendly alternative to conventional hydrocarbon-based cleaning agents. Our product is based on innovative raw materials and is characterised by its powerful cleaning power and mild odour.

|                        |   |  |  |  |  |  |   |                                                                                                                                                                           |        |           |                  |        |
|------------------------|---|--|--|--|--|--|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------|------------------|--------|
| O.C.X.<br>O.C.X. Spray | ● |  |  |  |  |  | ● | Oxide remover:<br>for a safe removal of oxide and sulphide layers or oil that became resin, grease residues as well as metal abrasions on electrical contacts of all kind |        | PFAS FREE | KW               |        |
| P.H.C.                 |   |  |  |  |  |  | ● | Photovoltaic cleaner:<br>gentle on materials and highly efficient, for removing contamination and environmental deposits from photovoltaic systems                        |        | PFAS FREE | H <sub>2</sub> O | nonVOC |
| S.B.C. Spray           |   |  |  |  |  |  | ● | A1-Special cleaner :<br>special cleaner with rapid and residue-free evaporation, good cleaning effect against oil and grease as well as plastic and sealing residues      | NSF A1 | PFAS FREE | KW               |        |

| Product      | Application       |                        |                       |                 |              |                |           | Description                                                                                                                                             | Properties |           |    |        |
|--------------|-------------------|------------------------|-----------------------|-----------------|--------------|----------------|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|----|--------|
|              | Electric cleaning | Spray-washing machines | High-pressure devices | Ultrasonic bath | Dipping bath | Floor cleaning | Washbasin |                                                                                                                                                         | NSF        | PFAS FREE | KW | nonVOC |
| S.C.F. Spray |                   |                        |                       |                 |              |                | ●         | A1-Degreaser:<br>enormous cleaning power, good material compatibility, residue-free and rapid evaporation, mild smell                                   | NSF A1     | PFAS FREE | KW |        |
| S.E.G. Spray |                   |                        |                       |                 |              |                | ●         | Remover for graffiti:<br>effective removal of paint, varnish and felt-tip pen graffiti as well as adhesive residues from smooth, non-absorbent surfaces |            | PFAS FREE | KW |        |
| S.F.R. Spray |                   |                        |                       |                 |              |                | ●         | Special mould cleaner:<br>for the cleaning of moulds and tools on injection moulding machines, dissolves a large variety of plastic residues            | NSF A1     | PFAS FREE | KW |        |
| S.K.A.       |                   |                        |                       | ●               |              |                | ●         | Mould cleaner:<br>user-friendly, removes residues that arise on tools and moulds during plastics processing                                             | NSF A1     | PFAS FREE | KW | nonVOC |



Efficient cleaning of your PV modules!

P.H.C.

Photovoltaic cleaner

Rivolta P.H.C. is a material-friendly, highly efficient and biodegradable cleaning concentrate for the removal of soiling from photovoltaic systems. Its material compatibility towards PV module components has been tested by the Fraunhofer CSP Institute.

|                                  |   |  |   |   |  |  |   |                                                                                                                                                                                                                         |           |           |    |  |
|----------------------------------|---|--|---|---|--|--|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------|----|--|
| S.K.E.                           |   |  |   | ● |  |  | ● | Special adhesive remover:<br>effective removal of adhesives, loctite and sealing residues                                                                                                                               |           | PFAS FREE | KW |  |
| S.L.X. 500<br>S.L.X. 500 Spray   | ● |  | ● |   |  |  | ● | Special safety cleaner:<br>wet cleaning of electrical installations and machines also under voltage. Strong cleaning effect with very quick evaporation without residues, non flammable, dielectric strength >130 kV/cm | NSF K2    |           |    |  |
| S.L.X. 1000<br>S.L.X. 1000 Spray | ● |  | ● |   |  |  | ● | Special safety cleaner:<br>wet cleaning of electrical installations and machines also under voltage. Strong cleaning effect with very fast evaporation without residues, non flammable, dielectric strength >190 kV/cm  | NSF K2    |           |    |  |
| S.L.X. Rapid Spray               | ● |  |   |   |  |  | ● | Universal rapid cleaner:<br>effective cleaning of electrical installations and general machine parts e.g. in the food industry. Fast and residues free evaporation. (not under voltage)                                 | NSF K1 K2 | PFAS FREE | KW |  |
| S.L.X. Super                     | ● |  | ● |   |  |  | ● | Electro safety cleaner:<br>wet cleaning of electrical installations and machines. Intensive cleaning power with slow and residues free evaporation, dielectric strength >190 kV/cm. (not under voltage)                 | NSF K2    | PFAS FREE | KW |  |
| S.L.X. Top<br>S.L.X. Top Spray   | ● |  | ● |   |  |  | ● | High performance electro cleaner:<br>wet cleaning of electrical installations and machines. Intensive cleaning power with ormal and residues free evaporation, dielectric strength >150 kV/cm. (not under voltage)      | NSF K2    | PFAS FREE | KW |  |
| S.N.C. 101                       |   |  |   | ● |  |  | ● | Mould cleaner and glue remover:<br>excellent dissolving power towards polymer and adhesive residues on metallic surfaces                                                                                                | NSF A1    | PFAS FREE | KW |  |
| S.R.K.                           |   |  |   | ● |  |  | ● | Special cleaner concentrate:<br>extremely effective - for the primary treatment of metallic components against e.g. hardened oil and grease layers                                                                      |           | PFAS FREE | KW |  |
| S.U.W. Spray                     |   |  |   |   |  |  | ● | Special cleaner for wind power stations and industrial plants:<br>enormous cleaning power, good material compatibility, residue-free and rapid evaporation, mild smell                                                  |           | PFAS FREE | KW |  |



### 3. No chance for corrosion

**Corrosion is the substantial alteration of materials due to reaction with the environment and is a potential hazard with both economic and health consequences for the company and its staff.**

The process of corrosion depends on both the properties of the materials and the environmental influences they are subjected to. Corrosion processes are very varied and often complex.

We provide both oily and wax-type products for the protection of plant and machinery. Our products provide protection in a wide variety of situations: from temporary surface preservation to long-term, close-down, interim and final preservatives, to preparation for outside storage or ocean shipment.

**Find the product for your particular application.**

### 3. Corrosion protection

| Product                        | Oily | Waxy | Indoor storing | Outdoor storing under roof | Outdoor storing | Description                                                                                                                                                                                                       | Properties |           |    |        |
|--------------------------------|------|------|----------------|----------------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|----|--------|
| C.O.S. 5050                    | ●    |      |                |                            |                 | Synthetic antifreeze and corrosion inhibitor: ideal for closed cooling systems in the food and beverage industry                                                                                                  | NSF H1     | PFAS FREE |    |        |
| F.L. CPF<br>F.L. CPF Spray     | ●    |      | 15 months      | 6 months                   |                 | Synthetic corrosion protection fluid: to preserve complete machines, for mid-term conservation of semi-finished goods                                                                                             | NSF H1     | PFAS FREE | KW |        |
| F.L. CP6 Spray                 |      | ●    | 18-24 months   | 6-12 months                |                 | Synthetic corrosion protection spray: for mid-term conservation of semi-finished goods, injection moulds, thin film conservation without penetration effects                                                      | NSF H1     | PFAS FREE | KW |        |
| K.S.P. 150<br>K.S.P. 150 Spray | ●    |      | 15 months      | 6 months                   |                 | Corrosion inhibiting oil: low viscosity, very good creeping effect, thanks to excellent demulsifying properties also for immersion bath applications, universal applications, drying                              |            | PFAS FREE | KW |        |
| K.S.P. 160 nonVOC              | ●    |      | 15 months      | 6 months                   |                 | VOC-free anti-corrosion oil: for temporary preservation of entire machines, forms a thin, highly effective protective film, has good water-repellent properties, preserved components can be packaged immediately |            | PFAS FREE |    | nonVOC |
| K.S.P. 204 A                   | ●    |      | 18-24 months   | 6-12 months                |                 | Corrosion inhibiting oil: for an efficient temporary conservation, permanent thin oily protection film                                                                                                            |            | PFAS FREE | KW |        |
| K.S.P. 204 nonVOC              | ●    |      | 18-24 months   | 6-12 months                |                 | VOC-free corrosion inhibiting oil: for an efficient temporary conservation, VOC-free                                                                                                                              |            | PFAS FREE |    | nonVOC |

| Product            | Oily | Waxy | Indoor storing | Outdoor storing under roof | Outdoor storing | Description                                                                                                                                           | Properties |    |  |        |
|--------------------|------|------|----------------|----------------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|------------|----|--|--------|
| K.S.P. 204 VCI     | ●    |      | 24 months      | 12 months                  |                 | Thixotropic corrosion protection with VCI: VOC-free, suspended expiry, contains VCI                                                                   | PFAS FREE  | KW |  | nonVOC |
| K.S.P. 305 Spray   |      | ●    | 18-24 months   | 6-12 months                |                 | Corrosion protection wax: waxy, colourless and silicone-free corrosion protection spray, especially for injection moulds and tools                    | PFAS FREE  | KW |  |        |
| K.S.P. 305 R Spray |      | ●    | 18-24 months   | 6-12 months                |                 | Corrosion protection wax red: red pigmented K.S.P. 305 Spray for an easy visibility of the protected areas                                            | PFAS FREE  | KW |  |        |
| K.S.P. 312 N Spray |      | ●    | 24-36 months   | 18-24 months               | 6-12 months     | Corrosion protection wax: rapidly effective temporary long-term corrosion-protection in spray cans                                                    | PFAS FREE  | KW |  |        |
| K.S.P. 317         |      | ●    | 24-36 months   | 18-24 months               | 6-12 months     | Corrosion protection wax: very economical wax with allround application possibilities, temporary long-term corrosion-protection                       | PFAS FREE  | KW |  |        |
| K.S.P. 440 nonVOC  |      | ●    | 30-72 months   | 24-48 months               | 12-36 months    | VOC-free corrosion protection wax: VOC-free full solid long-term corrosion protection wax for extreme storage-, transport- and surrounding conditions | PFAS FREE  |    |  | nonVOC |



**Impressive features!**

**C.O.S. 5050**

Antifreeze with corrosion protection

Fully synthetic propylene glycol-based antifreeze and corrosion inhibitor for closed cooling and heating systems in the food and beverage industry. Rivolta C.O.S. 5050 is NSF H1/HT1 registered, reliably lowers the freezing point of water solutions to -32 °C, and offers excellent flow properties even at low temperatures.

|                            |   |  |  |  |  |                                                                                                                                                                                                                                                                       |           |    |  |  |
|----------------------------|---|--|--|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----|--|--|
| <b>W.S.X. W.S.X. Spray</b> | ● |  |  |  |  | Moisture protection: colourless, fine and water-repellent protection film for electricals components. Protects components against corrosion and defaults due to moisture, displaces water during e.g. renovation and maintenance work, dielectric strength >120 kV/cm | PFAS FREE | KW |  |  |
| <b>R.I.S. Spray</b>        | ● |  |  |  |  | Fully synthetic, highly effective rust remover: Ideally suited for the quick and effective loosening of rusted and stuck parts of all kinds, e.g. screwed connections, hinges, bolts, chains and much more                                                            | PFAS FREE |    |  |  |

Packaging Overview\*


|                       |      |  |  |  |  |  |  |  |  |  |  |
|-----------------------|------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                       | Page | Tube                                                                              | Cartridge                                                                         | Dispenser                                                                         | Wipes                                                                             | Spray                                                                             | Spray bottle                                                                      | Can                                                                               | Bottle / Can                                                                       | Hobbock                                                                             | Drum                                                                                |
| A.C.S. Spray          | 14   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 750ml                                                                             | -                                                                                 | -                                                                                 | -                                                                                  | -                                                                                   | -                                                                                   |
| A.C.S. 3 Spray        | 14   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 750ml                                                                             | -                                                                                 | -                                                                                 | -                                                                                  | -                                                                                   | -                                                                                   |
| B.F.C. Spray          | 14   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | -                                                                                 | -                                                                                  | -                                                                                   | -                                                                                   |
| B.N.L. 848            | 14   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l, 20kg                                                                          | -                                                                                   | 220kg                                                                               |
| B.R.X. 540            | 14   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | 200kg                                                                               |
| B.R.X. 611            | 14   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 11kg, 20kg                                                                         | -                                                                                   | 220kg                                                                               |
| B.R.X. 624            | 14   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 11kg, 20kg                                                                         | -                                                                                   | 220kg                                                                               |
| B.R.X. 637            | 14   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 11kg, 20kg                                                                         | -                                                                                   | 220kg                                                                               |
| B.R.X. 648            | 15   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l, 20kg                                                                          | -                                                                                   | -                                                                                   |
| B.R.X. 659            | 15   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 11kg, 20kg                                                                         | -                                                                                   | 220kg                                                                               |
| B.S.E.                | 15   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 11kg, 20kg                                                                         | -                                                                                   | 220kg                                                                               |
| B.W.K.                | 15   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 750ml                                                                             | -                                                                                 | 10l                                                                                | -                                                                                   | 200kg                                                                               |
| B.W.K. Wipes Set      | 15   | -                                                                                 | -                                                                                 | -                                                                                 | 70 Pieces                                                                         | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                  | -                                                                                   | -                                                                                   |
| B.W.R. 180            | 15   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 11kg, 20kg                                                                         | -                                                                                   | 220kg                                                                               |
| B.W.R. 210            | 15   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 11kg, 20kg                                                                         | -                                                                                   | 220kg                                                                               |
| B.W.R. 210 phos.-frei | 15   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 11kg, 20kg                                                                         | -                                                                                   | 220kg                                                                               |
| B.W.S.                | 15   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 750ml                                                                             | -                                                                                 | 10l                                                                                | -                                                                                   | -                                                                                   |
| B.W.S. Wipes Set      | 15   | -                                                                                 | -                                                                                 | -                                                                                 | 70 Pieces                                                                         | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                  | -                                                                                   | -                                                                                   |
| B.W.X.                | 15   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 750ml                                                                             | -                                                                                 | 10l                                                                                | -                                                                                   | 200kg                                                                               |
| C.H.G. 3              | 06   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | 60l                                                                                 |
| C.H.G. 4              | 06   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | 60l, 200l                                                                           |
| C.H.G. 6              | 06   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | 60l, 200l                                                                           |
| C.H.G. 10             | 06   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | 60l                                                                                 |
| C.H.G. 15             | 06   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | 60l                                                                                 |
| C.H.G. 22             | 06   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | 60l                                                                                 |
| C.O.S. 5050           | 18   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l, 20l                                                                           | -                                                                                   | -                                                                                   |
| E.S.E. 340            | 16   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 1l,10l                                                                             | -                                                                                   | -                                                                                   |
| E.V.R.                | 16   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 1l,10l                                                                             | -                                                                                   | -                                                                                   |
| F.L. 5                | 06   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 300ml, 400ml                                                                      | -                                                                                 | -                                                                                 | 1l, 10l, 20l                                                                       | -                                                                                   | 60l                                                                                 |
| F.L. 12               | 07   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | -                                                                                   |
| F.L. 20               | 07   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l, 20l                                                                           | -                                                                                   | -                                                                                   |
| F.L. 50               | 07   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | -                                                                                 | 10l, 20l                                                                           | -                                                                                   | 60l, 200l                                                                           |
| F.L. 75               | 07   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l, 20l                                                                           | -                                                                                   | 60l, 200l                                                                           |
| F.L. 88 N             | 07   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | 200l                                                                                |
| F.L. 100              | 07   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l, 20l                                                                           | -                                                                                   | 60l, 200l                                                                           |
| F.L. 125              | 07   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l, 20l                                                                           | -                                                                                   | 60l                                                                                 |
| F.L. 170              | 07   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l, 20l                                                                           | -                                                                                   | 60l                                                                                 |
| F.L. 250              | 07   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | -                                                                                 | 10l, 20l                                                                           | -                                                                                   | 60l, 200l                                                                           |
| F.L. 400              | 07   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l, 20l                                                                           | -                                                                                   | -                                                                                   |
| F.L. 500              | 07   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l, 20l                                                                           | -                                                                                   | -                                                                                   |
| F.L. 1000             | 07   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | -                                                                                   |
| F.L. 2000             | 07   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | -                                                                                 | -                                                                                  | 10l                                                                                 | -                                                                                   |
| F.L.A.                | 12   | 100g                                                                              | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 480g, 1kg                                                                         | -                                                                                  | -                                                                                   | -                                                                                   |
| F.L.B.                | 12   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 1kg                                                                               | -                                                                                  | -                                                                                   | -                                                                                   |
| F.L. CPF              | 18   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | -                                                                                   |
| F.L. CPG Spray        | 18   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | -                                                                                 | -                                                                                  | -                                                                                   | -                                                                                   |
| F.L.G. 2-0            | 10   | 250g                                                                              | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                  | 10kg                                                                                | -                                                                                   |
| F.L.G. 3-1            | 10   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 1kg                                                                               | -                                                                                  | 10kg, 25kg                                                                          | -                                                                                   |
| F.L.G. 4-2            | 10   | -                                                                                 | 470g                                                                              | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 1kg                                                                               | -                                                                                  | 10kg, 25kg                                                                          | -                                                                                   |
| F.L.G. GT-0           | 10   | -                                                                                 | 500g                                                                              | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 1 kg                                                                              | -                                                                                  | 10kg                                                                                | -                                                                                   |
| F.L.G. GT-2           | 10   | -                                                                                 | 500g                                                                              | 180g                                                                              | -                                                                                 | -                                                                                 | -                                                                                 | 1kg                                                                               | -                                                                                  | 10kg, 25kg                                                                          | -                                                                                   |
| F.L.G. GT-3           | 10   | -                                                                                 | 500g                                                                              | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 1kg                                                                               | -                                                                                  | 10kg, 25kg                                                                          | -                                                                                   |
| F.L.G. GT-4           | 10   | -                                                                                 | 500g                                                                              | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 1kg                                                                               | -                                                                                  | 10kg, 25kg                                                                          | -                                                                                   |
| F.L.G. GT Spray       | 10   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | -                                                                                 | -                                                                                  | -                                                                                   | -                                                                                   |
| F.L.G. HF-2           | 10   | -                                                                                 | 470g                                                                              | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 1kg                                                                               | -                                                                                  | 10kg, 25kg                                                                          | -                                                                                   |
| F.L.G. MD-2           | 10   | 100g                                                                              | 600g                                                                              | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 1kg                                                                               | -                                                                                  | -                                                                                   | -                                                                                   |
| F.L. HT               | 08   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | -                                                                                 | 10l, 20l                                                                           | -                                                                                   | 60l, 200l                                                                           |
| F.L. KM 100           | 08   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | 60l, 200l                                                                           |
| F.L. PG 250           | 08   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l, 20l                                                                           | -                                                                                   | 60l, 200l                                                                           |
| F.L. PG 500           | 08   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | 60l, 200l                                                                           |
| F.L. SI               | 08   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | -                                                                                   |
| F.L. TM Spray         | 08   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | -                                                                                 | -                                                                                  | -                                                                                   | -                                                                                   |
| G.W.F.                | 12   | 100g                                                                              | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | 480g, 960g                                                                        | -                                                                                  | 10kg                                                                                | -                                                                                   |
| K.S.P. 150            | 18   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | -                                                                                 | 10l, 20l                                                                           | -                                                                                   | 60l, 200l                                                                           |
| K.S.P. 160 nonVOC     | 18   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | 200l                                                                                |
| K.S.P. 204 A          | 18   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l, 20l                                                                           | -                                                                                   | 60l, 200l                                                                           |
| K.S.P. 204 nonVOC     | 18   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l, 20l                                                                           | -                                                                                   | 60l, 200l                                                                           |
| K.S.P. 204 VCI        | 18   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 10l                                                                                | -                                                                                   | 60l                                                                                 |
| K.S.P. 305 Spray      | 18   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | -                                                                                 | -                                                                                  | -                                                                                   | -                                                                                   |
| K.S.P. 305 R Spray    | 19   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | -                                                                                 | -                                                                                  | -                                                                                   | -                                                                                   |
| K.S.P. 312 N Spray    | 19   | -                                                                                 | -                                                                                 | -                                                                                 | -                                                                                 | 400ml                                                                             | -                                                                                 | -                                                                                 | -                                                                                  | -                                                                                   | -                                                                                   |

|                     |      |  |  |  |  |  |  |  |  |  |  |
|---------------------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                     | Page | Tube                                                                                | Cartridge                                                                           | Dispenser                                                                           | Wipes                                                                               | Spray                                                                               | Spray bottle                                                                        | Can                                                                                 | Bottle / Can                                                                        | Hobbock                                                                             | Drum                                                                                |
| K.S.P. 317          | 19   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   | 60l, 200l                                                                           |
| K.S.P. 440 nonVOC   | 19   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10kg                                                                                | -                                                                                   |
| M.T.X.              | 16   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 60l, 200l                                                                           |
| M.T.X. 60           | 16   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l, 20l                                                                            | -                                                                                   | 60l, 200l                                                                           |
| M.T.X. 60 forte     | 16   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | 1l, 10l, 20l                                                                        | -                                                                                   | 60l, 200l                                                                           |
| M.T.X. 100          | 16   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l, 20l                                                                            | -                                                                                   | 60l, 200l                                                                           |
| M.T.X. 160          | 16   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 60l, 200l                                                                           |
| M.T.X. nonVOC forte | 16   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 60l, 200l                                                                           |
| M.T.X. Ultra        | 16   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 500ml                                                                               | -                                                                                   | -                                                                                   | 10l, 20l                                                                            | -                                                                                   | 200l                                                                                |
| N.B.A. 75           | 08   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l, 20l                                                                            | -                                                                                   | 200l                                                                                |
| N.I.T.              | 16   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 500ml                                                                               | -                                                                                   | 10l                                                                                 | -                                                                                   | -                                                                                   |
| N.W.E. 100          | 16   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   | -                                                                                   |
| O.C.X.              | 16   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   | -                                                                                   |
| P.A.W.              | 12   | 100g                                                                                | 500g                                                                                | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | 1kg                                                                                 | -                                                                                   | -                                                                                   | -                                                                                   |
| P.H.C.              | 16   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l, 20kg                                                                           | -                                                                                   | -                                                                                   |
| R.I.S. Spray        | 19   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   |
| S.B.C. Spray        | 16   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 500ml                                                                               | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   |
| S.B.H. 11           | 08   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 60l, 200l                                                                           |
| S.B.H. 23           | 08   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l, 20l                                                                            | -                                                                                   | 60l, 200l                                                                           |
| S.C.F. Spray        | 17   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 500ml                                                                               | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   |
| S.E.G. Spray        | 17   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 500ml                                                                               | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   |
| S.F.R. Spray        | 17   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   |
| S.I.L. Spray        | 08   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   |
| S.K.A.              | 17   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   | -                                                                                   |
| S.K.D. 16 N         | 08   | -                                                                                   | -                                                                                   | 125ml                                                                               | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | 10l, 20l                                                                            | -                                                                                   | 60l, 200l                                                                           |
| S.K.D. 55           | 08   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l, 20l                                                                            | -                                                                                   | 60l, 200l                                                                           |
| S.K.D. 170          | 08   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   | 200l                                                                                |
| S.K.D. 240          | 08   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | 10l, 20l                                                                            | -                                                                                   | 60l, 200l                                                                           |
| S.K.D. 320 N        | 08   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l, 20l                                                                            | -                                                                                   | 200l                                                                                |
| S.K.D. 2000         | 08   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   |
| S.K.D. 3000         | 08   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   |
| S.K.D. 3400         | 11   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | -                                                                                   | 10kg, 25kg                                                                          | -                                                                                   |
| S.K.D. 3501         | 11   | -                                                                                   | 400g                                                                                | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 1kg                                                                                 | -                                                                                   | -                                                                                   | -                                                                                   |
| S.K.D. 3602         | 11   | -                                                                                   | 500g                                                                                | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | 1kg                                                                                 | -                                                                                   | 10kg, 25kg                                                                          | -                                                                                   |
| S.K.D. 3800         | 11   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10kg, 25kg                                                                          | -                                                                                   |
| S.K.D. 3802         | 11   | -                                                                                   | 400g                                                                                | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10kg, 25kg                                                                          | -                                                                                   |
| S.K.D. 3817         | 11   | -                                                                                   | 500g                                                                                | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10kg, 25kg                                                                          | 180kg                                                                               |
| S.K.D. 3833 N       | 11   | -                                                                                   | 500g                                                                                | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 1kg                                                                                 | -                                                                                   | 10kg, 25kg                                                                          | -                                                                                   |
| S.K.D. 3875         | 11   | -                                                                                   | 500g                                                                                | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 1kg                                                                                 | -                                                                                   | 10kg, 25kg                                                                          | -                                                                                   |
| S.K.D. 3915         | 11   | -                                                                                   | 500g                                                                                | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 1kg                                                                                 | -                                                                                   | 25kg                                                                                | -                                                                                   |
| S.K.D. 4002         | 11   | 100g                                                                                | 400g, 500g                                                                          | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 1kg                                                                                 | -                                                                                   | 10kg, 25kg                                                                          | -                                                                                   |
| S.K.D. 5001         | 11   | -                                                                                   | 800g                                                                                | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 1kg                                                                                 | -                                                                                   | 10kg                                                                                | -                                                                                   |
| S.K.D. 5002         | 11   | -                                                                                   | 800g                                                                                | 200g                                                                                | -                                                                                   | -                                                                                   | -                                                                                   | 1kg                                                                                 | -                                                                                   | 10kg                                                                                | -                                                                                   |
| S.K.D. 6002         | 11   | -                                                                                   | -                                                                                   | 200g                                                                                | -                                                                                   | -                                                                                   | -                                                                                   | 500g                                                                                | -                                                                                   | -                                                                                   | -                                                                                   |
| S.K.E.              | 17   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   | -                                                                                   |
| S.K.M. 17           | 09   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   | 60l, 200l                                                                           |
| S.K.M. 41           | 09   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   | -                                                                                   |
| S.K.M. 46           | 09   | -                                                                                   | -                                                                                   | 125ml                                                                               | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   | 60l                                                                                 |
| S.K.M. 56           | 09   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   | 60l, 200l                                                                           |
| S.K.M. 121          | 09   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l, 20l                                                                            | -                                                                                   | 60l, 200l                                                                           |
| S.K.M. 171          | 09   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   | 60l, 200l                                                                           |
| S.K.M. 3010 Spray   | 09   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   |
| S.K.S. 40           | 09   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | 250ml, 10l                                                                          | -                                                                                   | -                                                                                   |
| S.K.S. 48           | 09   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | 250ml,10l                                                                           | -                                                                                   | -                                                                                   |
| S.L.X. 500          | 17   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 300ml                                                                               | -                                                                                   | -                                                                                   | 3l, 15kg                                                                            | -                                                                                   | -                                                                                   |
| S.L.X. 1000         | 17   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 300ml                                                                               | -                                                                                   | -                                                                                   | 3l, 15kg                                                                            | -                                                                                   | -                                                                                   |
| S.L.X. Rapid Spray  | 17   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   |
| S.L.X. Super        | 17   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l, 20l                                                                            | -                                                                                   | 60l, 200l                                                                           |
| S.L.X. Top          | 17   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | 10l, 20l                                                                            | -                                                                                   | 60l, 200l                                                                           |
| S.N.C. 101          | 17   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   | -                                                                                   |
| S.P.G. 250          | 09   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 20l                                                                                 | -                                                                                   | -                                                                                   |
| S.P.G. 500          | 09   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 20l                                                                                 | -                                                                                   | -                                                                                   |
| S.R.K.              | 17   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l, 20l                                                                            | -                                                                                   | 200l                                                                                |
| S.U.W. Spray        | 17   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 500ml                                                                               | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   |
| T.F.L. 10           | 09   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   | -                                                                                   |
| T.K.S. Spray        | 09   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   |
| T.M.F.              | 09   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 10l, 20l                                                                            | -                                                                                   | 200l                                                                                |
| T.R.S. Plus         | 09   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 50ml, 300ml, 400ml                                                                  | -                                                                                   | -                                                                                   | 1l, 10l, 20l                                                                        | -                                                                                   | 60l, 200l                                                                           |
| W.A.P.              | 12   | 100g                                                                                | 500g                                                                                | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | 1kg                                                                                 | -                                                                                   | 25kg                                                                                | -                                                                                   |
| W.S.X.              | 19   | -                                                                                   | -                                                                                   | -                                                                                   | -                                                                                   | 400ml                                                                               | -                                                                                   | -                                                                                   | 10l                                                                                 | -                                                                                   | -                                                                                   |



We are happy to assist you in all kinds of questions regarding our products, applications and packaging.

# Packaging Units

| Type of packaging                                                                     | Packaging size                                                                                                                      | per carton                                                                            |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    | 100 g tube                                                                                                                          |    |
|     | 250 ml bottle<br>300 ml pump-spray<br>300 ml spray-can<br>400 ml spray-can<br>500 ml spray-can<br>750 ml spray-can                  |    |
|     | 200 g dispenser<br>400 g cartridge<br>470 g cartridge<br>500 g cartridge<br>600 g cartridge<br>800 g cartridge<br>1 kg / 1 l bottle |    |
|    | 480 g can<br>480 g brush-can                                                                                                        |    |
|   | 750 ml spray bottler                                                                                                                |   |
|  | 500 g can<br>960 g can<br>1 kg can<br>70 wipes<br>500 ml spray bottle                                                               |  |
|   | All other packaging units                                                                                                           | single                                                                                |

The shown packaging sizes are our standard. Other types of packagings and sizes are available upon request.

# Instructions for use

## Advise

Our products in general are not subject to an expiration date like food, but nevertheless because of oxygen, humidity, warmth or light can start up an ageing process. To keep the ageing of our Products during storage as low as possible the follow-ing points have to be considered:

- The containers have to be originally closed.
- Temperatures of 10-20°C are ideal. Big temperature fluctuations are to be avoided.
- The air in the storage room should be dry and dustfree if possible.
- The containers must not be stored outside. (Water penetrates the container.)
- The containers are to be protected against frost.

## Shelf life periods

The following shelf life periods of the Bremer & Leguil GmbH products are valid:

- Oils .....5 years
- Greases .....3 years
- Pastes .....3 years
- Sprays (Spray-can).....3 years
- Water-based cleaners .....3 years
- Hydrocarbon-based cleaners .....5 years
- Corrosion protection oils.....5 years
- Corrosion protection waxes .....2 years (if necessary mix before using)
- Corrosion protection, thixotropic.....1 year (mix well before usingn)

## Recycling

- 

The disposal of metal packaging can be done by the company KBS-Kreislaufsystem Blechverpackungen Stahl GmbH.
- 

The disposal of plastic packagings can be done by the company RIGK-Gesellschaft zur Rückführung industrieller und gewerblicher Kunststoffverpackungen mbH.
- 

All emptied Rivolta® spray cans can be disposed through the take-back system RESPRAY of the company REMONDIS Industrie Service.

## Publisher and Copyright:

Bremer & Leguil GmbH  
Am Burgacker 30 - 42  
47051 Duisburg, Germany  
Local first instance court Duisburg, Germany  
Certification of registration 932

Reprints, total or in part, are permitted only prior consultation with Bremer & Leguil GmbH and if source is indicated and voucher copy is forwarded.

This brochure facts and statements and is determined with our best knowledge and will be checked continuously. These statements are depending - among other reasons - on experiences gained in the industry. We only pass them on without liability. Before using our products you should test the applicability and you should convince yourself about the satisfactory performance. We are specialized in developing products for extreme tribological problems in cooperation with end users. Bremer & Leguil provides service and individual advice. Please contact us.

Product illustrations partly consist of picture compositions and therefore, do not necessarily reflect the reality.

Our products are continually being up-dated. We reserve the right, therefore, to alter the information of this brochure at any time and without prior announcement.

## Bremer & Leguil GmbH

Am Burgacker 30-42 • 47051 Duisburg • Germany  
Tel. +49 203 99 23-0 • [info@bremer-leguil.de](mailto:info@bremer-leguil.de)

[www.bremer-leguil.de](http://www.bremer-leguil.de)

Find out  
more:



V2604