

Wind power plants


Rivolta Special products





Wind power plants

Bremer & Leguil offers special cleaners and accessories for wind power plants. Our products have a high technical performance to reduce downtimes, effort and costs for service intervals. Benefit from our experience in reduction of product variety and substitution of hazardous substances.



General application

Electrical connections
F.L.G. GT Spray
S.K.D. 4002

Maintenance of seals
S.I.L. Spray

This illustration only shows a simplified product outline.
Please get in contact with us directly to find the appropriate product for your specific application.

Cleaning

Product	Properties	Areas of application
B.W.K.	<ul style="list-style-type: none">ready to use cleaning productbiodegradablenot subject to labelling under GHSbest result with the foamer	<ul style="list-style-type: none">cleaning of covering and housing surfaces, rotor blades and platform platesremoving mould in the tower
B.W.R. 180	<ul style="list-style-type: none">aqueous cleaning concentratebiodegradablenot subject to labelling under UN GHSuniversally applicable	<ul style="list-style-type: none">cleaning of covering and housing surfaces, rotor blades and platform platesremoving mould in the tower
B.W.X.	<ul style="list-style-type: none">ready to use cleaning producteasily biodegradablecan be used at up to -10 °Cbest result with the foamer	<ul style="list-style-type: none">cleaning of covering and housing surfaces, rotor blades and platform platesremoving mould in the tower
E.V.R.	<ul style="list-style-type: none">compatible with metals, plastics, elastomers and solvent resistant lacquersnot subject to labelling under UN GHSapproved by SGB	<ul style="list-style-type: none">pre-cleaning of cast resin transformer and switch cabinetdissolves contaminants from the environment such as sea salt, pollen
S.L.X. 500	<ul style="list-style-type: none">does not affect the patina and carbon brushesno flashing pointapproved by Mersen, Schunk, Cebes and GE Vernova	<ul style="list-style-type: none">especially for the fast and residue-free cleaning of generator, pitch slip ring units and switch cabinet
S.L.X. Top	<ul style="list-style-type: none">medium-fast, residue-free evaporationpuncture-proof to 150,000 V/cmapproved by SGB, Elin, Siemens	<ul style="list-style-type: none">cleaning of electrical components such as the pitch slip rings, isolating section and transformercleaning of switch cabinet
S.U.W. Spray	<ul style="list-style-type: none">especially developed for wind turbineslow labelling under CLPmild odoursprayable upside down	<ul style="list-style-type: none">fast-acting degreaserremoval of grease from open gears of the yaw and pitch adjustment



Lubricate

F.L.G. GT Spray	<ul style="list-style-type: none">prevents oxidationoptimum corrosion protectionlow contact resistanceapproved by Enercon	<ul style="list-style-type: none">improving contacting on generator and earthing connections
S.I.L. Spray	<ul style="list-style-type: none">excellent maintenance propertiesprevents dirt adhesionefficient application via spray can	<ul style="list-style-type: none">maintenance of rubber and plastics such as seals of ceramic components at the transformer
S.K.D. 4002	<ul style="list-style-type: none">water-resistantageing- and oxidation-resistantno cracking	<ul style="list-style-type: none">maintenance of terminal lugs at NH fusescontact lubrication of isolators, switches etc.



Accessories

High pressure cleaning device	<ul style="list-style-type: none">especially designed for wind turbinesperfect dosage via nozzlecompact build and bump resistant	<ul style="list-style-type: none">cleaning of generator slip ring unit and switch cabinet
Cleaning pads	<ul style="list-style-type: none">special cleaning fleecemust be soaked with cleaning liquids	<ul style="list-style-type: none">cleaning of insulating section, metal and copper components as well as ceramic components at the transformer
Foamer	<ul style="list-style-type: none">factory-fitted special nozzle produces stable, active-cleaning foamwith pressure release valve	<ul style="list-style-type: none">for processing of Rivolta B.W.X., B.W.K., B.W.R. 180 and E.V.R.cleaning of vertical surfaces etc.




Before & After effect

Cleaning of
generator slip ring unit



Cleaning of
yaw adjustment



Cleaning of
oil transformer



Bremer & Leguil GmbH

Am Burgacker 30-42 • 47051 Duisburg • Germany

Tel. +49 203 99 23-0 • info@bremer-leguil.de

www.bremer-leguil.de

Find out
more:



V2507