Our Know-how - Your success

Electro wet cleaning











What does electro wet cleaning mean?

The **wet cleaning of electrical installations** is based on a cleaning process with liquid cleaning agents. The cleaning can be carried out at installations disconnected from voltage as well as at electrically live installations.

By the use of liquid cleaning agents materials and components are cleaned in an effective an surface-protecting way. With this special cleaning procedure two essential requirements are fulfilled at once:



1. FUNCTIONALITY OF THE INSTALLATION BY MAINTENANCE

It takes care of an orderly availability of the electrical installation, of the operating reliability and industrial work safety.



2. ORDINANCE ON INDUSTRIAL SAFETY AND HEALTH AND BGV A3* (GERMAN REGULATIONS)

Predetermined by the content of the Ordinance on industrial safety and health §10, paragraph (2) Duty to maintain work equipment (installations) as well as DGUV* Regulation 3 (in terms of content former BGV A3**):

"The employer shall ensure that the proper condition of electrical installations and equipment is tested:

- 1. prior to commissioning, and prior to restarting following modification or repair, by an electrically skilled person or under the responsibility and supervision of an electrically skilled person; and
- 2. at specific intervals.

The intervals shall be selected such that defects which are to be anticipated are detected in good time"

It follows from this that often only the cleaning of the installation can restore the proper condition, respectively can maintain the safe state according to the Ordinance on industrial safety and health.


*DGUV = German Social Accident Insurance

**BGV A3 = Regulation for safety and health at work of the employer's liability insurance association, Accident prevention regulation: Electrical installations and equipment



Which advantages does this type of cleaning offer?

Today concepts of maintenance and service primarily have the task to guarantee the highest possible technical availability of the installation.



The method of wet cleaning of your electrical installation thus offers you a safe possibility to avoid disturbances and failures and thus to lower follow-up costs. This means:

- quarantee of high plant availability
- mimimisation and elimination of trouble sources
- life-time extension of single components
- the reduction of fire risk
- better identification of disturbances
- cleanliness in the workplace

What has to be considered?

As a general rule the cleaning of disconnected, voltage-free installations has priority over the work under voltage! Only in exceptional cases the cleaning under voltage is allowed. DGUV Regulation 3 (old: BGV A3 § 8).

Examples for work alive, where a switching-off of the electrical installation is not possible without problems:

- Airports: runway lighting
- Hospitals
- Steel industry: melting furnaces
- \bullet General production processes, where the electrical machines cannot be switched off
- etc.

APPLICATION CASE ANALYSIS

First an application case analysis has to be carried out at the electrical installations which are to be cleaned. By that the choice of products and their quantity as well as the operational steps which are actually to be carried out, the measures and decisions, such as e.g. for work alive or voltage-free, are to be determined.

SAFETY REGULATIONS

Work on live parts: For the cleaning under voltage all sets of rules and regulations for the work under voltage have to be considered. The cleaning work is exclusively to be performed by especially trained persons.

Voltage-free: The usual safety measures for the work at electrical installations have to be considered, e.g. the work has to be carried out by qualified electricians.

It is recommended to employ only experts also at a disconnected, voltage-free installation for the electro wet cleaning.

WORK CLOTHES & TOOLS

Work on live parts: Special protective clothes and insulating tools which protect against the dangers of an electric shock or the formation of an electric arc.

Voltage-free: Usual protective clothing for the use of liquid cleaning products.

RESPONSIBILITY


A responsible person for the work has to be determined for the cleaning of disconnected, voltage-free installations as well as for the work alive.





Know – what is needed. Develop – what offers safety.

Electro cleaners								
S.L.X. 500 Special safety cleaner	E 4kg 15kg	Work on live parts possible. For the cleaning of all electrical installations and devices (e.g. electrical switch cabinets, distributions etc.)						
S.L.X. 1000 Special safety cleaner	TEUDON 4kg	Work on live parts possible. For electronics and mechanics. For the cleaning of highly sensitive electronical facilities, components and devices						
S.L.X. Super Electro safety cleaner	601 2001	Safety cleaner for all electrical installations, devices, motors, etc.						
S.L.X. Top High-performance electro-cleaner	101 201 601 2001	Cleaner for all electrical devices and components (e.g. switchgear assemblies, welding transformers, generators and electro motors)						
E.V.R. Electro pre-cleaner	10kg	Water based pre-cleaner. Can be used at electrical switch cabinets/ devices, components, housings and surfaces						
Complementary products								
B.W.R. 180 Water-based cleaning concentrate	11kg 20kg 220kg	Non-hazardous. Universally applicable cleaning concentrate, to clean e.g. cable ducts and housings of switch cabinets						
B.W.K. Water-based power cleaner	101 2001	Universally applicable cleaning agent, to clean e.g. cable ducts and housings of switch cabinets						
M.T.X. 60 forte Intensive cleaner	11 101 201 601 2001	Intensive cleaner with special cleaning intensifiers and fast evaporation to clean among other things cables, to set cable junction boxes						
S.L.X. Rapid Universal rapid cleaner	400 ml	The universal rapid cleaner for electric and electronic components						
O.C.X. Oxide remover	10L	To remove oxide and sulphide layers, oil that became resin and greases as well as metal abrasion on electrical contacts of all kinds						
W.S.X. Moisture-protector	101	Protects electric components against failure caused by moisture						
Contact greases								
S.K.D. 3602 High performance grease	1kg 10kg 25kg	Extremely adhesive and weatherproof contact grease for the outdoor area						
S.K.D. 4002 High performance grease	10kg 25kg	Ageing-resistant and fully synthetic contact grease for the indoor area						
F.L.G. GT-2 Synthetic multi-temperature grease	10kg 25kg	NSF H1-listed fully synthetic grease for switches and contacs for the indoor and outdoor area						
S.K.D. 5001/5002 Highest temperature greases	10kg	Contact greases for extreme media or temperature loads for the indoor and outdoor area						
Maintenance products								
S.K.D. 16 N Synthetic inside bearing lubricant	TE 201 601 2001	To lubricate mechanical connections, like levers, joints, ropes and chains						
T.R.S. Plus creep and fine oil	E B B B B B B B B B B B B B B B B B B B	Multifunctional creep and fine oil to release and get going seized precise mechanical parts. Especially suitable as door lock spray						





How to clean voltagefree installations?

Example of the cleaning of a switch cabinet:

- 1. Considering the 5 safety rules* the installation is disconnected from voltage
- 2. Remove loose contaminations
- **3.** Line the bottom of the switch cabinet with absorbent cloths, foil
- 4. Eventually dismount or cover components
- 5. Pre-cleaning with Rivolta O.C.X. or E.V.R.
- 6. Main cleaning with Rivolta S.L.X. series
- Eventual subsequent treatment of the components with Rivolta S.L.X. 500
- 8. Remove the laid-out cloths
- **9.** Dry the installation completely and totally
- 10. Cleaning of the outer surfaces of the switch cabinet with ** Rivolta B.W.R. 180 or B.W.K.
- 11. Switch on the installation again



Watch our Video!

Our introduction video shows the method of how electro wet cleaning works!

www.bremer-leguil.de

		Cleaners						Equipment		Lubricants			
		E.V.R.	0.C.X.	S.R.K.	S.L.X. Rapid	S.L.X. Top	S.L.X. 500	B.W.R. 180	Airless device	Dryer W10	T.R.S. Plus	S.K.D. 16 N	S.K.D. 4002
4	Switch cabinet (under voltage: only S.L.X. 500)		eck				-	· C.					
#	Electric locomotive, starters, traction motors, air conditioners		444				-				Fig.		
	Power and isolating switches (under voltage: only S.L.X. 500)		444				Sec. A.	·			13	10	
G F J	Motors and Generators	100 mg/m	444								13	THE STATE OF THE S	
	Wind power						100 A	C			TALL Pro		
##	Dry transformer		444										
##	Oil transformer		aca T	1.04									
[= 4	Welding transformer		468										
90L	Electrical forklift truck		444								144	1 M	
((gn)	Local network stations (under voltage: only S.L.X. 500)	CO0000	968					-			TAL Par		100

^{*} Safety regulations for work with electrical equipment: 1. Disconnect mains! 2. Prevent reconnection! 3. Test for absence of harmful voltages! 4. Ground and short circuit! 5. Cover or close off nearby live parts!

^{**} Not on voltage carrying components.

Interested?

Then please feel free to contact us! Our staff is always happy to advise you.

Further information about our products and our certified quality and production standards are accessible on our website

www.bremer-leguil.de

Reprinting, also in excerpts, only allowed with reference to the Bremer & Leguil GmbH and by sending of a specimen copy and after authorization by the Bremer & Leguil GmbH. This text contains facts and statements and is determined with our best knowledge and will be checked continuously. These statements are depending – among other reasons – on experience gained in the industry. We only pass them on without liability. Before using our products you should test the applicability and you should convince yourself about the satisfactory performance. We are specialized in developing products for borderline cases in tribological systems together with the user. Bremer & Leguil offers service and individual advice. Do not hesitate to contact us.

Product pictures are partly made of picture compositions and do not always reflect reality

Our products are constantly developed further. We therefore reserve the right for the Bremer & Leguil GmbH to change all technical data in this brochure at any time and without advance notice.

