

Wind power plants

Rivolta special products



Rivolta

CASSIDA


VITROLIS

antidot.



Wind power plants

Bremer & Leguil offers special cleaners and accessories for wind power plants. Our products have a high technical performance to reduce downtimes, effort and costs for service intervals. Benefit from our experience in reduction of product variety and substitution of hazardous substances.



General application

Electrical connections
F.L.G. GT Spray
S.K.D. 4002

Maintenance of seals
S.I.L. Spray


This illustration only shows a simplified product outline. Please get in contact with us directly to find the appropriate product for your specific application.

	Product	Properties	Areas of application
Clean	B.W.K.	<ul style="list-style-type: none"> ready to use cleaning product biodegradable not subject to labelling under GHS best result with the foam sprayer 	<ul style="list-style-type: none"> cleaning of covering and housing surfaces, rotor blades and grid plates removing mould in the tower
	B.W.R. 180	<ul style="list-style-type: none"> aqueous cleaning concentrate biodegradable not subject to labelling under UN GHS universally applicable 	<ul style="list-style-type: none"> cleaning of covering and housing surfaces, rotor blades and grid plates removing mould in the tower
	B.W.X.	<ul style="list-style-type: none"> ready to use cleaning product easily biodegradable can be used at up to -10 °C best result with the foam sprayer 	<ul style="list-style-type: none"> for the removing the most stubborn dirt from water-resistant surfaces
	S.U.W. Spray	<ul style="list-style-type: none"> especially developed for wind turbines low labelling under CLP mild odour sprayable upside down 	<ul style="list-style-type: none"> fast-acting degreaser removal of leaked bearing grease at the azimuth and pitch adjustment
	E.V.R.	<ul style="list-style-type: none"> compatible with metals, plastics, elastomers and solvent resistant lacquers not subject to labelling under UN GHS approved by SGB 	<ul style="list-style-type: none"> pre-cleaning of cast resin transformer and switch cabinet dissolves contaminants from the environment such as sea salt, pollen
	S.L.X. Top	<ul style="list-style-type: none"> medium-fast, residue-free evaporation puncture-proof to 150,000 V/cm approved by SGB, Elin, Siemens 	<ul style="list-style-type: none"> cleaning of electrical components such as the slip rings, insulating section and transformer cleaning of switch cabinet
	S.L.X. 500	<ul style="list-style-type: none"> does not affect the patina and carbon brushes fast and residue-free evaporation no flashing point approved by Mersen, Schunk, Cebes and GE Vernova 	<ul style="list-style-type: none"> especially for the the cleaning of power and data slip ring units
Lubricate	F.L.G. GT Spray	<ul style="list-style-type: none"> prevents oxidation optimum corrosion protection low contact resistance approved by Enercon 	<ul style="list-style-type: none"> improving contacting on generator and earthing connections
	S.I.L. Spray	<ul style="list-style-type: none"> excellent maintenance properties prevents dirt adhesion efficient application via spray can 	<ul style="list-style-type: none"> maintenance of rubber and plastics such as seals of ceramic components at the transformer
	S.K.D. 4002	<ul style="list-style-type: none"> water-resistant ageing- and oxidation-resistant no cracking 	<ul style="list-style-type: none"> maintenance of terminal lugs at NH fuses contact lubrication of isolators, switches etc.
Equipment	High pressure cleaning device 4 L	<ul style="list-style-type: none"> especially designed for wind turbines perfect dosage via nozzle compact build and bump resistant 	<ul style="list-style-type: none"> cleaning of power slip ring unit
	Cleaning pad	<ul style="list-style-type: none"> special cleaning fleece should be soaked with cleaning liquids 	<ul style="list-style-type: none"> cleaning of insulating section, metal and copper components as well as ceramic components at the transformer
	Foamer	<ul style="list-style-type: none"> factory-fitted special nozzle produces stable, active-cleaning foam with pressure release valve 	<ul style="list-style-type: none"> for processing of Rivolta B.W.X., B.W.K., B.W.R. 180 and E.V.R. cleaning of vertical surfaces etc.




Before & After effect

**Cleaning of
power slip ring unit**



**Cleaning of
azimuth adjustment**



**Cleaning of
oil transformer**

